S82	751	((allocat$3 or releas$3) with (channel$1 or socket$1)) and S79	USPAT	OR	OFF	2004/12/30 10:15
S83	2	(manag$3 with socket$1) with (mobile adj1 communication)	USPAT	OR	OFF	2004/12/30 10:22
S84	4	((manag$3 or administrat$3) with socket$1) with (mobile adj1 communication)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/30 10:26
S85	71	((manag$3 or administrat$3) with (channel$1 or socket$1)) with (mobile adj1 communication)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/30 10:28
S86	2320	(709/227).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/30 10:28
S87	2	S85 and S86	US-PGPUB; USPAT	OR	OFF	2004/12/30 10:29
S88	5552	(455/436-450).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/11 15:12
S89	19020	(allocat$3 or assign$3 or locat$3) with socket$1	USPAT	OR	OFF	2005/01/11 15:44
S90	9	S88 and S89	USPAT	OR	OFF	2005/01/11 15:19
S91	48	("6144850" "5946474" "6205581" "5973640" "5018062" "5918028" "5819279" "6209050" "6032267" "5842026" "5276896" "5652839" "5923890" "5742607" "4797676" "6424640" "6215997" "6215997" "6314471" "4447876" "4864532" "4905184" "5765022" "5832294" "5243596" "5586279" "6216216" "6216216" "5758183" "5949490" "6321279" "5398329" "5918023" "4418333" "5708657" "5345589" "5638516" "6016506" "6473849" "6711643" "5933598" "6353829" "4581733" "6184996" "5768563" "6052713" "4633417" "4928221" "5598171" "5838952").pn.	USPAT	OR	OFF	2005/01/11 15:39
S92	4411	(709/223-226).CCLS.	USPAT	OR	OFF	2005/01/11 15:39
S93	83	S89 and S92	USPAT	OR	OFF	2005/01/11 15:39
S94	83	((allocat$3 or assign$3 or locat$3) with socket$1) and S92	USPAT	OR	OFF	2005/01/11 15:54
S95	10	S88 and S92	USPAT	OR	OFF	2005/01/11 16:07
S96	5642	releas$3 with socket$1	USPAT	OR	OFF	2005/01/11 16:10
S97	4	(ccp or (call adj1 control adj1 processor)) and S96	USPAT	OR	OFF	2005/01/11 16:08
S98	2770	(709/226-228).CCLS.	USPAT	OR	OFF	2005/01/11 16:10
S99	8	S96 and S98	USPAT	OR	OFF	2005/01/11 16:10

S100	379	manag$3 with socket$1	USPAT	OR	OFF	2005/01/12 11:20
S101	20478	releas$3 with (socket$1 or port$1)	USPAT	OR	OFF	2005/01/12 11:21
S102	2894	(allocat$3) with (socket$1 or port$1)	USPAT	OR	OFF	2005/01/12 11:21
S103	255	S101 and S102	USPAT	OR	OFF	2005/01/12 11:22
S104	9	S100 and S103	USPAT	OR	OFF	2005/01/12 11:22
S105	20478	releas$3 with (socket$1 or port$1)	USPAT	OR	OFF	2005/01/12 13:40
S106	2894	(allocat$3) with (socket$1 or port$1)	USPAT	OR	OFF	2005/01/12 13:40
S107	255	S105 and S106	USPAT	OR	OFF	2005/01/12 13:40
S108	93014	(allocat$3 or assign$3 or designat$3) with (socket$1 or port$1 or channel$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 11:56
S109	188693	(releas$3 or discharg$3 or (let adj1 go)) with (socket$1 or port$1 or channel$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 11:57
S110	237646	(releas$3 or discharg$3 or (let adj1 go) or free) with (socket$1 or port$1 or channel$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 11:58
S111	17002	S108 and S110	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 11:58
S112	5148	(709/227-229).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 11:58
S113	116	S111 and S112	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 11:59
S114	84	(@ap < "20001130") and S113	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/14 12:28
S115	975	(709/226).CCLS.	USPAT	OR	OFF	2005/01/14 12:28

S116	1545	(709/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:28
S117	28	S111 and S116	USPAT	OR	OFF	2005/01/14 12:29
S118	4	"6427161"	USPAT	OR	OFF	2005/01/14 14:06
S119	3	"6542734"	USPAT	OR	OFF	2005/01/14 14:10
S120	5853	(allocat$3 or releas$3) with socket$1	USPAT	OR	OFF	2005/01/14 14:51
S121	1	S119 and S120	USPAT	OR	OFF	2005/01/14 14:49
S122	24	"4701910"	USPAT	OR	OFF	2005/01/14 14:50
S123	93	"5249290"	USPAT	OR	OFF	2005/01/14 14:55
S124	0	S120 and S123	USPAT	OR	OFF	2005/01/14 14:51
S125	9	((allocat$3 or releas$3) with (socket$1 or channel$1 or port$1)) and S123	USPAT	OR	OFF	2005/01/14 15:20
S126	36	"5287461"	USPAT	OR	OFF	2005/01/14 14:55
S127	5	((allocat$3 or releas$3) with (socket$1 or channel$1 or port$1)) and S126	USPAT	OR	OFF	2005/01/14 15:18
S128	74	"5761507"	USPAT	OR	OFF	2005/01/14 15:18
S129	12	((allocat$3 or releas$3) with (socket$1 or channel$1 or port$1)) and S128	USPAT	OR	OFF	2005/01/14 15:26
S130	17	"6088728"	USPAT	OR	OFF	2005/01/14 15:26
S131	3	((allocat$3 or releas$3) with (socket$1 or channel$1 or port$1)) and S130	USPAT	OR	OFF	2005/01/14 15:28
S132	4	"6282424"	USPAT	OR	OFF	2005/01/14 15:31
S133	2	(lu near po-wen)".in"	USPAT	OR	OFF	2005/01/14 15:32

S13 4	13	(lu near po-wen)".in"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:32
S13 5	1	(chae near woong)".in"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:33
S13 6	2	"lg.as"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:34
S13 7	7	"6378130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:37
S13 8	11	"6359863"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:38
S13 9	44843	(allocat$3 or alot$4 or designat$3 or open) with (socket$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:39
S14 0	61234	(clos$3 or releas$3 or deallocat$3 or de-allocat$3) with (socket$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:40
S14 1	18070	S139 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:40
S14 2	6318	(709/226-229).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 15:40

S14 3	55	S141 and S142	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 15:58
S14 4	129	S140 and S142	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 16:28
S14 5	0	"09996129"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 16:28
S14 6	1	"20030101180"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 16:43
S14 7	4	"6662357"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 16:44
S14 8	1	"20020042751"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 16:44
S14 9	1	"20030101250"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/01/14 16:48
S15 0	3189584	ccp ((call control connection) near$3 processor)	US-PGPUB; USPAT	OR	OFF	2005/01/18 17:54
S15 1	2552973	ccp ((call control connection) near$3 processor)	USPAT	OR	OFF	2005/01/18 17:54
S15 2	55735	ccp ((call control connection) near3 processor)	USPAT	OR	OFF	2005/01/18 17:55
S15 3	52284	(release reserve allocate designat$3) near3 (port$2 socket connect$3)	USPAT	OR	OFF	2005/01/18 17:56
S15 4	55735	S151 with S152	USPAT	OR	OFF	2005/01/18 17:58
S15 5	17439	S151 with S153	USPAT	OR	OFF	2005/01/18 17:59
S15 6	7847	releas$3 near (port$1 or socket$1 or connection)	USPAT	OR	OFF	2005/01/18 17:59
S15 7	473	S152 and S156	USPAT	OR	OFF	2005/01/18 18:01
S15 8	62	(ccp or (call adj1 control adj1 processor)) and S157	USPAT	OR	OFF	2005/01/18 18:01
S15 9	39511	("370").CLAS.	USPAT	OR	OFF	2005/01/19 19:25
S16 0	3155	mobile adj1 communication adj1 system	USPAT	OR	OFF	2005/01/19 19:56
S16 1	3	((allocat$3 or releas$3) with (socket$1)) and S160	USPAT	OR	OFF	2005/01/19 19:57

S16 2	42	((allocat$3 or releas$3) with (socket$1)) and S159	USPAT	OR	OFF	2005/01/19 19:57
S16 3	1	(IBM.as.) and ((allocat$3 or (de near allocat$3)) with socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:51
S16 4	0	((allocat$3 with (de near allocat$3)) same socket) same (mobile with communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:52
S16 5	7	((allocat$3 with (de near allocat$3)) same socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:54
S16 6	43146	((allocat$3 or (de near allocat$3) or open or close) same socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:55
S16 7	8	"6088725"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:56
S16 8	3	S167 and socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:58
S16 9	580	(allocat$3 with (socket))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:00
S17 0	305	S169 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:58
S17 1	15	((confirm$5 or receipt or reply) near message) and S170	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:00

S17 2	0	S171 and ccp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:00
S17 3	0	S170 and ccp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:00
S17 4	1135	(allocat$3 same (socket))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:00
S17 5	2	S174 and ccp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:05
S17 6	0	(ccp and ((allocat$3 or deallocat$3 or open or close) with (socket or channel or port))) and 09/226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:07
S17 7	0	(ccp and ((allocat$3 or deallocat$3 or open or close) with (socket or channel or port))) and 709/226. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:07
S17 8	276	(ccp and ((allocat$3 or deallocat$3 or open or close) with (socket or channel or port)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:08
S17 9	1730	(709/226).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 14:58
S18 0	0	S178 and S179	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:07
S18 1	187	S178 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:40

S182	9725	releas$3 with socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:40
S183	8	S182 and (ccp or (call near control near processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:41
S184	11	S182 and (udp same tcp)	USPAT	OR	OFF	2005/07/15 14:42
S185	0	("l17andsocket").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 14:58
S186	204	S179 and socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:58
S187	114	S186 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:59
S188	39	S187 and (releas$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:59
S189	60	S187 and allocat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:02
S190	27	S188 and S189	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:08
S191	1347	(releas$3 or deallocat$3) near socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:09

S19 2	1005	S191 and @ad < "20001130"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:12
S19 3	0	ccp and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:09
S19 4	0	S179 and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:10
S19 5	1813	(455/450,464).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:11
S19 6	7	S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:11
S19 7	0	S195 and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:11
S19 8	0	telecommnunication and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:12
S19 9	3	(mobile near network) and S192	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:13
S20 0	12	"5537404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:38
S20 1	3	socket and S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:37

S20 2	8	"6122671"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:38
S20 3	2	S202 and socket	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:39
S20 4	14	"6044275"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:39
S20 5	25	(US-6400730-$ or US-6418324-$ or US-6452924-$ or US-6542734-$ or US-6741618-$ or US-6747963-$ or US-6751456-$ or US-6754709-$ or US-6754714-$ or US-6810253-$ or US-6816476-$ or US-6912576-$ or US-6707820-$ or US-6707803-$ or US-6690938-$ or US-6654357-$ or US-6459902-$ or US-5953676-$ or US-5844899-$ or US-5758256-$ or US-6862276-$ or US-6839764-$ or US-6760343-$ or US-6711178-$ or US-6675218-$).did.	USPAT	OR	ON	2005/07/15 15:40
S20 6	23	S205 and (confirm$5 or receipt or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:41
S20 7	15	S205 and (confirm$5 or receipt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:41
S20 8	101099	releas$3 with (socket$1 or channel$1 or port$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:17
S20 9	62178	(releas$3 or clos$3) with socket$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:18

S21 0	21	ccp and S209	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:17
S21 1	3	S210 and @ad < "20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:18
S21 2	6244	(releas$3 or clos$3) near socket$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:18
S21 3	2921	S212 and @ad < "20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:30
S21 4	228	S213 and ((telecommunication) or telephone or mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:29
S21 5	1	reallocat$3 near socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:30
S21 6	17	reallocat$3 with socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:31
S21 7	2	S216 and @ad < "20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:32

S218	1	(re near allocat$3) with socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:31
S219	35	(reallocat$3 or reassign$3 or (re near open)) with socket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:32
S220	4	S219 and @ad < "20001130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 16:32
S221	25	("5802258").URPN.	USPAT	OR	ON	2005/07/18 16:37
S222	4	S221 and socket	USPAT	OR	ON	2005/07/18 16:39
S223	1	"0503784"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/07/19 13:58
S224	7	"503784"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/07/19 13:59
S225	19	"503784"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:02
S226	51	"5621889"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:05
S227	244	"5655081"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2304	(709/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/01/12 11:19
S2	15	((multiprocessor$1) or (multi-processor$1) or multi adj1 processor$1) with socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 19:11
S3	75	((multiprocessor$1) or (multi-processor$1) or (multi adj1 processor$1)) same socket	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 19:28
S4	49	S3 and @ad < "20011130"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/22 19:29
S5	477	releas$3 adj1 socket	USPAT	OR	OFF	2004/12/23 17:53
S6	34	allocat$3 adj1 socket	USPAT	OR	OFF	2004/12/23 16:38
S7	1	S5 and S6	USPAT	OR	OFF	2004/12/23 17:33
S8	1774886	(call control processor or ccp)	USPAT	OR	OFF	2004/12/23 17:34
S9	1468	(call adj1 control adj1 processor or ccp)	USPAT	OR	OFF	2004/12/23 17:38
S10	0	S5 and S9	USPAT	OR	OFF	2004/12/23 17:34
S11	0	S6 and S9	USPAT	OR	OFF	2004/12/23 17:34
S12	0	S6 and S9	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/23 17:35
S13	1387	(709/227).CCLS.	USPAT	OR	OFF	2004/12/23 17:35
S14	8	S9 and S13	USPAT	OR	OFF	2004/12/23 17:35
S15	290	(call adj1 control adj1 processor)	US-PGPUB; USPAT	OR	OFF	2004/12/23 17:39
S16	1	S13 and S15	US-PGPUB; USPAT	OR	OFF	2004/12/23 17:45
S17	0	S5 and S15	US-PGPUB; USPAT	OR	OFF	2004/12/23 17:45
S18	0	S6 and S15	US-PGPUB; USPAT	OR	OFF	2004/12/23 17:45
S19	1826	radio adj1 network adj1 controller	US-PGPUB; USPAT	OR	OFF	2004/12/23 17:52
S20	2	S15 and S19	US-PGPUB; USPAT	OR	OFF	2004/12/23 17:49
S21	39	((multiprocessor$1) or (multi-processor$1) or (multi adj1 processor$1)) same socket	USPAT	OR	OFF	2004/12/23 17:50

S22	80	((multiprocessor$1) or (multi-processor$1) or (multi adj1 processor$1)) same socket	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:50
S23	0	S19 and S22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:50
S24	0	S5 and S19	US-PGPUB; USPAT	OR	OFF	2004/12/23 17:52
S25	553	releas$3 adj1 socket	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/23 17:52
S26	1	S19 and S25	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/23 17:52
S27	0	mangag$3 adj1 socket	USPAT	OR	OFF	2004/12/23 17:54
S28	0	mangag$3 adj1 socket	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:54
S29	45	manag$3 adj1 socket	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/23 18:02
S30	1	2000-644858.NRAN.	DERWENT	OR	OFF	2004/12/23 17:57
S31	1	2000-644858.NRAN.	DERWENT	OR	OFF	2004/12/23 17:58
S32	32	(manag$3 adj1 socket) and @ad <"20011130"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/23 18:03
S33	21	(US-20020198998-$ or US-20030149601-$ or US-20030037178-$ or US-20030009543-$ or US-20020120761-$ or US-20020120716-$ or US-20020116605-$ or US-20020065900-$ or US-20010042136-$ or US-20010034847-$).did. or (US-5481706-$ or US-5712964-$ or US-5721876-$ or US-6026230-$ or US-6477586-$ or US-5701412-$ or US-6219669-$ or US-5913028-$ or US-6785730-$ or US-6609138-$ or US-5537417-$).did.	US-PGPUB; USPAT	OR	OFF	2004/12/23 18:07

S34	6	S22 and S33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2004/12/23 18:21
S35	6093	(709/223-224).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 18:23
S36	0	S5 and S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 18:24
S37	13	S9 and S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/23 18:24
S38	3645	(allocat$3 or allot$3 or assign$3) same (socket$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 13:42
S39	185	(multiprocessor$1 or multi-processor$1 or (multi adj1 processor$1)) and S38	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 13:44
S40	107	releas$3 and S39	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 13:56
S41	603	releas$3 adj1 socket$1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 13:57
S42	1	S39 and S41	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 13:57
S43	2370	((radio adj1 network adj1 controller) or rnc)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 13:59
S44	2	((radio adj1 network adj1 controller) or rnc) with ((call adj1 control adj1 processor) or ccp)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:02
S45	2	((radio adj1 network adj1 controller) or rnc) same ((call adj1 control adj1 processor) or ccp)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:02
S46	2154	((call adj1 control adj1 processor) or ccp)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:02
S47	1	S41 and S46	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:03
S48	33953	(releas$3 or discharg$3 or free$3) same (socket$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:03

S49	18470	(releas$3 or discharg$3 or free$3) with (socket$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:04
S50	8	S46 and S49	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:06
S51	0	("2002/0087700").URPN.	USPAT	OR	OFF	2004/12/29 14:05
S52	533	S38 and S49	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:06
S53	1	S46 and S52	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:07
S54	6220	mobile adj1 communication adj1 system	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:08
S55	3	S49 and S54	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:09
S56	46070	("455").CLAS.	USPAT	OR	OFF	2004/12/29 14:10
S57	152	S46 and S56	USPAT	OR	OFF	2004/12/29 14:36
S58	0	S41 and S57	USPAT	OR	OFF	2004/12/29 14:10
S59	0	S38 and S57	USPAT	OR	OFF	2004/12/29 14:20
S60	2312	(709/227).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:37
S61	9	S46 and S60	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:43
S62	2	socket$1 same (call adj1 control adj1 processor)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:45
S63	6	socket$1 same ((call adj1 control adj1 processor) or ccp)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 14:45
S64	0	(releas$3 adj1 channel) with (ccp)	USPAT	OR	OFF	2004/12/29 14:58
S65	1168	(releas$3 adj1 channel$1)	USPAT	OR	OFF	2004/12/29 15:17
S66	4	S46 and S65	USPAT	OR	OFF	2004/12/29 14:59
S67	1448	(455/436).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:16
S68	0	("l11andl31").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:16

S69	2	S48 and S67	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:17
S70	1474	(455/450).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:17
S71	2269	(releas$3 adj1 (socket$1 or channel$1))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:17
S72	38	S70 and S71	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:37
S73	0	sockect with management	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:37
S74	0	socket$1 with management	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:37
S75	1669	management same socket$1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:38
S76	644	management with socket$1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/29 15:38
S77	48	("6144850" "5946474" "6205581" "5973640" "5018062" "5918028" "5819279" "6209050" "6032267" "5842026" "5276896" "5652839" "5923890" "5742607" "4797676" "6424640" "6215997" "6215997" "6314471" "4447876" "4864532" "4905184" "5765022" "5832294" "5243596" "5586279" "6216216" "6216216" "5758183" "5949490" "6321279" "5398329" "5918023" "4418333" "5708657" "5345589" "5638516" "6016506" "6473849" "6711643" "5933598" "6353829" "4581733" "6184996" "5768563" "6052713" "4633417" "4928221" "5598171" "5838952").pn.	USPAT	OR	OFF	2004/12/30 09:45
S78	15	((allocat$3 or releas$3) with processor) and S77	USPAT	OR	OFF	2004/12/30 09:57
S79	3141	mobile adj1 communication adj1 system	USPAT	OR	OFF	2004/12/30 09:57
S80	74	((allocat$3 or releas$3) with processor$1) and S79	USPAT	OR	OFF	2004/12/30 10:02
S81	3	((allocat$3 or releas$3) with socket$1) and S79	USPAT	OR	OFF	2004/12/30 10:04